

NOTE:

- 1) ALL REPRESENTATIONS OF FIXTURES, EQU MATERIALS, ELECTRICAL, PLUMBING, FASTENE CLIENTS DESIGN ARE NOT INCLUDED WITH CLI PURCHASED FROM NATURAL ELEMENT HOMES SPECIFICALLY NOTED IN NATURAL ELEMENT H PURCHASE AGREEMENT WILL BE INCLUDED IN LIST AND SUPPLIED TO THE CLIENT.
- 2) CONTRACTOR TO VERIFY ALL DIMENSIONS BEFORE BEGINNING CONSTRUCTION.
- 3) ALL DOOR AND WINDOW ROUGH OPENINGS TO BE VERIFIED AS WALLS ARE BEING FRAM

RESPONSIBILITY OF THE BUIL

THESE DRAWINGS ARE IN PART DIAGRAMMATIC AND DETAIL HOW WORKMANSHIP, MATERIALS AND INSTINCTUDING THE FIXTURES AND EQUIPMENT ARE TO COMPLETE THE "WHOLE" STRUCTURE.

IT IS THE RESPONSIBILITY OF THE BUILDER/OWNE STRUCTURE TO COMPLY WITH ALL APPLICABLE NA COUNTY AND CITY CODES AS THEY APPLY TO EAC

BUILDING GREEN:

-) WHERE POSSIBLE, USE COMPACT
- USE DURABLE ROOF COVERINGS S CEMENT TO REDUCE THE NECESSI COVERING REPLACEMENTS.
- THE USE OF FACTORY BUILT COMP AMOUNT OF JOB SITE CUTTING FU
- 4) CHOOSE ENERGY STAR RATED AP POSSIBLE.
- USE NATIVE PLANTS DURING LAND
 NEED FOR WATERING AND FERTIL
- IN ROOF SYSTEMS AND EXTERIOR HIGHEST R-VALUE POSSIBLE.
-) USE LOW-E WINDOWS TO REDUCE



CAUTION MUST BE EXERCISE

IN MAKING ANY CHANGES IN THIS PLAN. MIN CHANGES IN ONE AREA OF THE HOUSE COU LEAD TO MAJOR PROBLEMS IN ANOTHER AR

MASONITE 6 PANEL INTERIOR DOORS STAIN GRADE INTERIOR WOOD TRIM AT GRE WASHER/DRYER BY OTHERS

SQUARE FOOTAGE	
HEATED AREAS:	
FIRST FLOOR	1250
SECOND FLOOR	532
HEATED TOTAL	1782
UNHEATED AREAS:	
DECK/PORCH AREA	515
GARAGE	517
ATTIC	100

MAIN FLOOR PLAN







